



# **Table of Contents**

## **Exterior Doors**

	Exterior Door Products	Page	3			
	Unfinished Slabs	Page	4			
	Door Construction	Page	5			
	Glass and Wood Details	Page	6			
	Builders Series	Page	8			
	Cottage Series	Page	10			
	Premium Series	Page	12			
	Standard Features	Page	13			
r	nterior Doors					
	Interior Door Products	Page	16			
	Swinging Interior Door Features	Page	21			
	Reversible Jamb System (Patented)	Page	23			
Barn Doors						
	Barn Door In a Box	Page	25			
	Configurations	Page	26			
	Single Barn Doors	Page	27			
	Bi-Parting Barn Doors	Page	30			
	Bypass Barn Doors	Page	32			
	Barn Door Hardware and Components	Page	35			




### Pacific Pride's ExteriorDoor Products

With more than 75 cumulative years of experience building, designing, and engineering wood doors, Pacific Pride Building Products knows wood doors! The insistence of exact tolerances, the moisture level of all wood components, and the hand selection of each piece of wood that go into our wood doors ensure the absolute best quality and outstanding value in the marketplace today.

We take great pride in providing our customers with the best designs at best possible value. All our doors are prefinished with a 9 step oil-based polyurethane process at the factory, allowing us to finish all edges of the panels before the assembly of the doors. This process is extremely important for the long life of the doors and minimizing any panel issues.

Your front door makes a statement. So it's important to choose one that's not only beautiful but reflects your style as well. Pacific Pride brings you the perfect balance of style, quality, and value with hardwood Premium, Builders, and Cottage series doors that both elevate and enhance any facade. Choose Pacific Pride for a smart investment that will fit your needs, your home, and your life.





UM55MSS Unfinished Mahogany 5 lite slab w/tempered w/mistlite IG glass



UM26S Unfinished Mahogany 6 lite slab w/tempered IG glass



UM30RDS Unfinished Mahogany vertical 3 lite slab w/tempered reed IG glass



UM88MSS Contemporary Unfinished Mahogany 8 Lite w/Mistlite IG glass




UM14FLS Traditional Unfinished Mahogany 4 Lite w/Flemish IG glass



UM73HSS Unfinished Mahogany vertical 3 lite slab, deco glass

### **Door Construction**

### Stile and Rail



### **Glass Details**


**Clear Bevel Glass** 



**Narrow Reed Glass** 



**Mistlite Glass** 



## **Wood Details**

Mahogany









Ash (AM)


















Alder Wood (A42 & A51 units)



**Operable Speakeasy** 



### **Ensuring Quality Through Rigorous Testing**

DP is a performance specification for how strong a door is, expressed in how many pounds per square foot (psf) of pressure it can withstand. This specification can fluctuate based on several factors, such as geographic location, the height of the building, the location of the door in relation to the building, etc. All of these factors are used to calculate what the Design Pressure (DP) is for a specific door.

During testing, a door is attached to a wooden frame and clamped to a specially designed wall. Air pressure is gradually reduced on the inside of the door, which increases the pressure on the outside until the door fails (breaks beyond repair). The test pressure must reach 1.5 times the design pressure for 10 seconds without the door suffering permanent damage. In other words, a door with a Class / DP of 30 would have to withstand 45 psf.

The instant the door fails, the psf is recorded and is used for the calculation. Laboratories will then issue labels that indicate the DP for the door – labels used by the Window and Door Manufacturers Association (WDMA), the American Architectural Manufacturers Association (AAMA), and other organizations.

CLASS/DESIGN	CLASS/DESIGN	STRUCTURAL TEST		
PRESSURE IN	PRESSURE	PRESSURE		
PSI (INCHES OF	<b>EQUIVALENT WIND</b>	<b>EQUIVALENT WIND</b>		
WATER)	VELOCITY IN MPH	VELOCITY IN MPH		
15 (2.88)	77.52	94.94		
20 (3.84)	89.51	109.63		
25 (4.80)	100.08	122.57		
30 (5.76)	109.63	134.27		
35 (6.72)	118.42	145.03		
40 (7.68)	126.59	155.04		
45 (8.64)	134.27	164.45		
50 (9.60)	141.53	173.34		
55 (10.56)	148.44	181.8		

See your local county building planner to see what DP rating is best for your area. Pacific Pride will not provide regional information for DP ratings.



### **Pacific Pride Builders Series Door Features**

- TDI Rated / DP 50
- These doors have been tested and approved to meet a
  Design Pressure (DP) rating of 50. In order to qualify for a
  DP 50 rating, the door or window is subjected to extreme
  testing conditions that simulate hurricane force winds up
  to 173 mph.
- Available in both 4-9/16" and 6-9/16" Jambs (2" Extention kit)

- Oil rubbed bronze ball bearing hinges provide years of easy swing
- Adjustable Composite Bronze Sill
- 2-3/8" backset
- Composite Jambs
- High-performance compression weather-stripping resists rot and corrosion while sealing out the weather elements

### **Builders Series**



**Ash Mahogany** 3 Lite with Reed Glass AM30C(L/R)



**Espresso Mahogany** 3 Lite with Reed Glass EM30C(L/R)



**Ash Mahogany** Clear I/G Glass AM26C(L/R)



**Espresso Mahogany** Clear I/G Glass EM26C(L/R)



**Pecan Mahogany** Clear I/G Glass PM26C(LR)



**Walnut Alder** Iron Speakeasy & Clavos WA51C(L/R)



Golden Oak Alder Beveled I/G Glass GA24C(L/R)

**Rough Opening 38"** 37 3/4"



Golden Oak Alder Clear I/G Glass GA23C(L/R)



Ash Alder Clear I/G Glass AA23C(L/R)



**Espresso Mahogany** Clear I/G Glass EM23C(L/R)



Mahogany Clear I/G Glass PM23C(L/R)



**Ash Mahogany** AM73C(L/R)



**Espresso Mahogany** EM73C(L/R)



**Pecan Mahogany** Triple Pane Deco Glass Triple Pane Deco Glass Triple Pane Deco Glass PM73C(L/R)



## A Pacific Pride Cottage Series Door Features:


- TDI Rated / DP 50
- These doors have been tested and approved to meet a
   Design Pressure (DP) rating of 50. In order to qualify for a
   DP 50 rating, the door or window is subjected to extreme
   testing conditions that simulate hurricane force winds up to 173 mph.
- Our Cottage Series Models Comes in Prefinished White and Features the 4Ever Frame Composite Jamb System and Composite Brick Mould


#### Frame Features:


- Closed cellular structure
- Rigid poly-fiber formulation
- 2X screw holding power
- No aluminum support channels needed
- Will not absorb moisture
- Stronger than wood door frames

### Introducing our new Cottage Wide Body Series Exterior Door

For those who like the room to walk through their entrance, the widebody gives you a wide door that fits in standard openings. Great for moving in furniture or allowing plenty of room for a wheelchair.









### A Pacific Pride Premium Door Features:


- Factory pre-hung/pre-finished (with oil base polyurethane)
- Matching 4-5/8" ext. jambs
- Weatherstrip

- 4" ball bearing hinges
- Adjustable sill
- 2-3/8" backset

- 5-1/2" DB on center
- Optional 6-9/16" extension kit and dentil shelves

### **Standard Features**

Engineered to maintain both their appearance and integrity, Pacific Pride doors provide the complete exterior entry solution. All configurations come pre-hung in a system that ensures unit integrity, ease of installation and happy homeowners. With four distinct lines - Craftsman, Contemporary, Traditional and Rustic - customers are sure to find a door to fit their style.



<sup>\*</sup> Some features may not be available on all models. Ask your sales representative for specific details.

## **Mahogany Doors**

#### M55 5-LITE



RM55 5 Lite with Sidelites and Transom with Mistlite glass RM55MSM(L/R)413TR

M55 5-Lite



**Ash Mahogany** AM55MSM(L/R)



(5-Lite with Sidelites RM55MSM (L/R) (12" or 14") Available Glass: Mistlite-ML

M55 5-Lite



**Espresso Mahogany** EM55MSM L/R)

### **Alder Doors**

#### **GA42**



GA42 with Sidelites Sidelites shown with optional iron grilles



GA42 2 Panel Speakeasy Door with Iron Grille (L/R) (12" or 14") Available Glass: Clear



Operable Speakeasy

#### GA51



GA51 with Sidelites Sidelites shown with optional iron grilles



GA51 2 Panel Arched Speakeasy Door with Iron Grille (L/R) (12" or 14") Available Glass: Clear



Operable Speakeasy

#### GA36



GA36 6-Lite with Sidelights and Transom with clear bevel glass



GA36M 6-Lite, 3 PanelSidelites (L/R) (412/413) (12" or 14") Available Glass: Clear Bevel



GA36 (L/R) 6-Lite, 3 Panel Available Colors: Red Available Options: Dentil Shelf



GA21 2 Panel 1/4 Lite Shown with optional Dentil Shelf (L/R) (12" or 14") Available Glass: Decorative

### Interior Door Products

The important word in our name, Pacific Pride Doors, is the word PRIDE. We take pride in our workmanship, pride in bringing beauty into your home, and great pride in the quality and value we offer in our door line. Our customers realize these virtues in our product and that is why they chose Pacific Pride Doors.

"They're beautiful. The minute these doors arrived, we loved their velvety goodness, and not just because they look remarkably better than our old doors.....they look and feel solid, timeless, and crafted with care".

Pacific Pride employees represent over 75 years of experience in building, designing and engineering wood doors to exacting tolerances. Always setting trends in design and use, Pacific Pride continues to innovate. Constantly striving to make things easier for customers and giving complete solutions is our goal.

Our interior swinging doors offer complete reversibility. You no longer need to know which way or "hand" a door swings, as our new patented reversible jamb/door system allows the swing to be determined or even changed on the job site. If that light switch ends up behind the door, REVERSE the swing with our new system! Having the correct swing door every time saves both time and money. Another huge benefit is how easy it is to transport and handle our doors. We have greatly reduced the chance of damage to the doors and your physical self.

Our new interior line features a full line of barn door products including Rustic, Traditional and clean Contemporary designs.

Whether it be a Knotty Alder, Mahogany, White Prefinished/Primed, or architectural designs, Pacific Pride has a solution for your home that you can take great PRIDE in for your family.

Thank you for letting us into your homes and being a part of your future memories.





### **Redesign Your Home with Pacific Pride!**

When renovating her Chicago home, Michelle Renard, author of popular home decor and interior design blog Hello Lovely, selected our Knotty Alder interior doors to install throughout the house.

Michelle paired the rustic look of our Knotty Alder doors with white and gray finishes, accents of tan burlap, and pastel accessories to complete the look. The results are stunning!











## Swinging Interior Door Features

- Your choice of Unfinished Knotty Alder, White Primed Pine or Unfinished Vertical Grain Douglas Fir. Prehungs can come with either Oil Rubbed Bronze or Satin Nickel hinges.
- Reversible jamb kits that allow handing to be determined at installation. (see page 23/24.)
- Choice of slab (no frame) or prehung (shipped knocked down, ready to assemble)
- 13/8" thick slabs
- 23/8" backset single bore
- All interior doors available as double, doors



# **Interior Swinging Doors**



22 www.pacificpridedoors.com

## Reversible Jam System PATENTED

Pacific Pride doors introduces a patented, revolutionary design with the Patented Reversible Jamb System. Created so that handing does not have to be determined until installation, the Reversible Jamb System benefits every step of the supply chain; from distributors and retailers who can reduce inventory without sacrificing selection, to installers and DIY customers who can ensure job completion through flexible reversible handing.

#### **HINGE PREP**

Machined both sides so that hinge jambs can be switched with strike jambs to reverse handing.



#### **HINGES**

Engineered with one radius flange and one square edge flange so hinges can be flipped to accommodate either handing.





#### **JAMB STOPS**

Jamb stops are shipped loose so they can be applied after installing frame for a cleaner, stronger system.




#### STRIKE PREP

Machined both sides so that strike jambs can be switched with hinge jambs to reverse handing.



### The Pacific Pride Reversible Jamb Kit PATENTED

- No more handing "oops" Never worry about LH or RH mistakes again
- A stronger, cleaner system Installing frame through the jamb stop channel allows for installation adjustments and no nail or screw holes to repair or putty
- Less damage Reducing inventory means less space required, less handling needed and ultimately less damage caused




**Unfinished Alder Wood** 

**Unfinished Douglas Fir** 

**Primed White Pine** 





### Barn Door in a Box

# Complete Barn Door Kit Ready to Assemble

Exclusive to Pacific Pride! Everything is in one box!






Outside Vertical Planks: 6" Inside Vertical Planks: 4" Thickness: 1%"

All Vertical Planks: 6" Thickness: 13/4"

Pacific Pride's unique Barn Door in a Box is extremely versatile. By assembling the Barn Door in a Box yourself, you determine the orientation of the knots. That means each customer gets to be the artist in creating their own one of a kind, custom barn door. If you have a shorter door opening or a custom application, you can cut each plank down in height to fit that application. The possibilities with this door are endless!




## **Possible Pine Configurations**



### Features:

- Unfinished Radiata Pine or Alder
- Stain or paint to match your decor
- Pre-drilled holes and prepped for ease of door assembly and hardware installation
- Doors and hardware designed to ensure smooth fit and function
- 1¾" and 1¾" thicknesses(see individual unit specifications)

## **Possible Alder Configurations**





Oil Rubbed Bronze hardware

### **White Primed Doors**

Pacific Pride Doors are beautiful, functional, and add a unique flair to your home. You can purchase a single barn door to add style to a room, or purchase two of the same door to create a bi-parting or bypass setup in your space.

Our White Primed doors come ready to paint making it easy to match the decor of any room. Every Rustic Alder foor can be ordered unfinished, allowing customers the opportunity to apply a stain that best suits their home. Our barn doors can be coordinated with our swinging interior doors throught your home to add a dramatic focal point.

Pacific Pride has many options to ensure that choosing the right door is simple and satisfying.

Using our easy two step process, we can help you select the perfect solution to all your door needs.







## Select a Design

#### **Primed Pine Doors**



P2320 **Primed Wide Louver** sizes: 36" x 84" thickness: 1%"



**Primed** sizes: 36" x 84" 42" x 84" thickness: 13/4"

#### **Architectural Doors**



P2044 Prefinished/Clearcoat sizes: 30" x 84" 36" x 84" thickness: 1-3/8"



**CDR2044** Prefinished/Clearcoat sizes: 30" x 84" 36" x 84" thickness: 1-3/8"

#### **Rustic Alder or Pine- Unfinished**



**UA3242** size: 36" x 84" 42" x 84" thickness: 13/4"



**UA3242LS** size: 36" x 84" 42" x 84" thickness: 1-3/4"



**UA3242RS** size: 36" x 84" 42" x 84" thickness: 13/4"



**UP2500** size: 36" x 84" 42" x 84" thickness: 1-3/8"

At Pacific Pride, we like choices. That's why we offer two different styles of hardware for our stunning barn doors. Customers can choose between our oil rubbed bronze flat track orstainless steel flat track to fit their exact door needs.

All our standard tracks are 80 inches long drilled on 16 inch centers. Each track is offered in multiple sizes, allowing you to choose the track that best fits your room opening.



Bronze Lengths: 48" 64" 80" 84"



Satin Nickel Lengths: 48" 64" 80" 84"

## **Bi-parting Barn Doors**



A beautiful way to enhance your dining, study, kitchen or bedroom areas, bi-part barn doors provide an elegant transition between spaces. All of our single barn doors can be purchased as a set of bi-part doors and are built for long lasting beauty and durability.

Both our stainless steel and oil rubbed bronze flat track hardware sets are available for double door installation. Add the Track Connector option to connect two tracks when longer travel is needed. Multiple handle choices are available in addition to the Soft Closer option to create a one of a kind set up.



### **Bypass Barn Doors**

Bypass double door hardware allows the ability to dress up closets with the beauty of barn doors. Hardware adapts to both 1% in. or 1¼ in. thickness doors and has a quality oil rubbed bronze powder or stainless steel coat finish. With easy to follow installation instructions, mounting is quick and easy to add class to any closet.


#### Oil Rubbed Bronze Bypass Hardware Kit




#### **Stainless Steel Bypass Hardware Kit**



Doors Shown - GA3242LH & GA3242RH **Rustic Alder with Golden Oak Finish** 









BDHKIT0410B Shown 52 in. Dark Oil Rubbed Bronze J-Hook Strap Sliding Bypass Barn Door Hardware with Floor T-Guide




# **Barn Door Hardware and Components**



Prefinished
order code: GAStrap
Unfinished
order code: UAStrap















B Soft Closer (pair)
Dark
order code: QCLOSERKIT-10B
Light
order code: QCLOSERKIT-15

C Track Connector
Bronze
order code: BDHRCB
Stainless Steel
order code: BDHRCSS

D Wall Guide
Bronze
order code: LWALL10B
Stainless Steel
order code: LWALL15

**Bronze** order code: BDH01 Stainless Steel order code: BDH02 Stainless Steel Round Rail BDH03 order code: **Black Top Mounted\*** order code: BDH04 **Bronze Bypass Kit\*** 4' order code: **BDHKIT0410B** 5' order code: BDHKIT0510B Stainless Steel Bypass Kit\* 4' order code: BDHKIT0415SS 5' order code: BDHKIT0515SS \* Not pictured

**Hardware Set** 

F Bypass Brackets
Bronze
order code:
BDBPR10B
Stainless Steel
order code:
BDBPR15
G Iron Flush Handle

G Iron Flush Handle Iron Pull Handle order code: BHANDLE-10B I Stainless Steel Pull Handle order code: J SSHANDLE

Stainless Steel Flush
Handle
order code:
FHANDLE-15
K Bronze Flush Handle

order code:
FHANDLE-10B



